AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

- 1. (Currently Amended) An electrode paste material for constituting electrode layers of a laminate type dielectric device produced by at least the steps of alternately laminating ceramic layers containing lead as a constituent component and the electrode layers, and degreasing and baking the laminate, wherein said electrode paste material contains CuO as a principal component of a starting material of an electrically conductive material, a solvent, a binder, and a cooperative material consisting of at least one kind of the main components constituting having substantially the same composition as said ceramic layer.
 - 2. Canceled.
 - 3. Canceled.
- 4. (Currently Amended) An electrode paste material according to claim 31, wherein the content of CuO is not less than 40 wt% but not greater than 77.5 wt%.
- 5. (Currently Amended) An electrode paste material according to claim 31, wherein the content of said cooperative material is not less than 1 wt% but not greater than 15 wt%.
 - 6.-13. Canceled.
- 14. (Currently Amended) An electrode paste material for constituting electrode layers of a laminate type dielectric device produced by at least the steps of alternately

laminating ceramic layers containing a lead element as a constituent component mainly made of an oxide having a Pb(Zr,Ti)0₃ perovskite structure and the electrode layers, and degreasing and baking the laminate, wherein said electrode paste material contains CuO and Cu as principal components of a starting material of an electrically conductive material, a solvent, a binder, and a cooperative material consisting of at least one kind of the main components constituting said ceramic layer.

- 15. (Original) An electrode paste material according to claim 14, wherein said cooperative material has substantially the same composition as said ceramic layer.
- 16. (Original) An electrode paste material according to claim 14, wherein the total content of CuO and Cu is greater than 30 wt% but less than 82.5 wt% calculated to CuO in terms of the ratio of the molecular weight, and the content of said cooperative material is greater than 0.5 wt% but less than 25 wt%.
- 17. (Original) An electrode paste material according to claim 16, wherein the total content of CuO and Cu is not less than 40 wt% but not greater than 77.5 wt% calculated to CuO in terms of the ratio of the molecular weight.
- 18. (Original) An electrode paste material according to claim 16, wherein the content of said cooperative material is not less than 1 wt% but not greater than 15 wt%.
 - 19.-26. Canceled.
- 27. (New) An electrode paste material for constituting electrode layers of a laminate dielectric device produced by at least the steps of alternately laminating ceramic layers containing lead as a constituent component and the electrode layers, and

SHINDO et al Appl. No. 10/029,006 February 20, 2004

degreasing and baking the laminate, wherein said electrode paste material contains CuO as a principal component of a starting material of an electrically conductive material, a solvent, a binder, and a cooperative material having substantially the same composition as said ceramic layer, wherein the content of CuO is greater than 30 wt% but less than 82.5 wt%, and the content of said cooperative material is greater than 0.5 wt% but less than 25 wt%.

- 28. (New) An electrode paste material according to claim 27, wherein the content of CuO is not less than 40 wt% but not greater than 77.5 wt%.
- 29. (New) An electrode paste material according to claim 27, wherein the content of said cooperative material is not less than 1 wt% but not greater than 15 wt%.
- 30. (New) An electrode paste material for constituting electrode layers of a laminate dielectric device produced by at least the steps of alternately laminating ceramic layers mainly made of an oxide having a Pb(Zr,Ti)O₃ perovskite structure and the electrode layers, and degreasing and baking the laminate, wherein said electrode paste material contains CuO and Cu as principal components of a starting material of an electrically conductive material, a solvent, a binder, and a cooperative material having substantially the same composition as said ceramic layer, wherein the total content of CuO and Cu is greater than 30 wt% but less than 82.5 wt% calculated to CuO in terms of the ratio of the molecular weight, and the content of said cooperative material is greater than 0.5 wt% but less than 25 wt%.

SHINDO et al Appl. No. 10/029,006 February 20, 2004

- 31. (New) An electrode paste material according to claim 30, wherein the total content of CuO and Cu is not less than 40 wt% but not greater than 77.5 wt% calculated to CuO in terms of the ratio of the molecular weight.
- 32. (New) An electrode paste material according to claim 30, wherein the content of said cooperative material is not less than 1 wt% but not greater than 15 wt%.